THE CLAIMS

- 1-10. (canceled)
- 11. (previously presented) A functional heterotrimeric G protein comprising an α subunit comprising a first amino acid sequence encoding a first fluorescent protein and a β subunit comprising a second amino acid sequence encoding a second fluorescent protein, wherein said first and second fluorescent proteins are capable of fluorescence resonance energy transfer (FRET).
 - 12. (canceled)
- 13. (original) The functional heterotrimeric G protein of claim 11 wherein said first and said second amino acid sequences are within 100 angstroms of each other.
- 14. (previously presented) The functional heterotrimeric G protein of claim 11 wherein the first fluorescent protein is cyan fluorescent protein.
- 15. (previously presented) The functional heterotrimeric G protein of claim 11 wherein the first fluorescent protein is yellow fluorescent protein.
- 16. (previously presented) The functional heterotrimeric G protein of claim 11 wherein the second fluorescent protein is cyan fluorescent protein.
- 17. (previously presented) The functional heterotrimeric G protein of claim 11 wherein the second fluorescent protein is yellow fluorescent protein.
- 18. (previously presented) The functional heterotrimeric G protein of claim 11 wherein the first fluorescent protein is cyan fluorescent protein and the second fluorescent protein is yellow fluorescent protein.
- 19. (previously presented) The functional heterotrimeric G protein of claim 11 wherein the first fluorescent protein is yellow fluorescent protein and the second fluorescent protein is cyan fluorescent protein.
- 20. (original) The functional heterotrimeric G protein of claim 11 wherein said first amino acid sequence is within a helical domain of said α subunit.
- 21. (original) The functional heterotrimeric G protein of claim 11 wherein said second amino acid sequence is at the N-terminus of said β subunit.

- 22. (original) The functional heterotrimeric G protein of claim 11 wherein the α and β subunits are D. discoideum G protein subunits.
- 23. (original) The functional heterotrimeric G protein of claim 13 wherein said first amino acid sequence is within a helical domain of said α subunit and said second amino acid sequence is at the N-terminus of said β subunit.
- 24. (previously presented) The functional heterotrimeric G protein of claim 23 wherein the first fluorescent protein is cyan fluorescent protein and the second fluorescent protein is yellow fluorescent protein.
- 25. (original) The functional heterotrimeric G protein of claim 24 wherein the α and β subunits are D. discoideum G protein subunits.

26-55. (canceled)

56. (previously presented) A functional heterotrimeric G protein comprising an α subunit comprising a first fluorescent moiety and a β subunit comprising a second fluorescent moiety, wherein the first and second fluorescent moieties are capable of fluorescence resonance energy transfer (FRET).

57-76. (canceled)

- 77. (previously presented) A functional heterotrimeric G protein comprising an α subunit comprising a first amino acid sequence encoding a first fluorescent or luminescent protein and a β subunit comprising a second amino acid sequence encoding a second fluorescent or luminescent protein, wherein said first and second fluorescent or luminescent proteins are capable of bioluminescence resonance energy transfer (BRET).
- 78. (previously presented) The functional heterotrimeric G protein of claim 77 wherein said first and said second amino acid sequences are within 100 angstroms of each other.
- 79. (currently amended) The functional heterotrimeric G protein of claim 77 wherein the first fluorescent or luminescent protein is a fluorescent protein, and the fluorescent protein is cyan fluorescent protein.
- 80. (currently amended) The functional heterotrimeric G protein of claim 77 wherein the first fluorescent or luminescent protein is a fluorescent protein, and the fluorescent protein is yellow fluorescent protein.

- 81. (currently amended) The functional heterotrimeric G protein of claim 77 wherein the second fluorescent or luminescent protein is a fluorescent protein, and the fluorescent protein is cyan fluorescent protein.
- 82. (currently amended) The functional heterotrimeric G protein of claim 77 wherein the second fluorescent or luminescent protein is a fluorescent protein, and the fluorescent protein is yellow fluorescent protein.
- 83. (currently amended) The functional heterotrimeric G protein of claim 77 wherein the first fluorescent or luminescent protein is a light-emitting luciferase protein and the second fluorescent or luminescent protein is a fluorescent protein, and the fluorescent protein is yellow fluorescent protein.
- 84. (currently amended) The functional heterotrimeric G protein of claim 77 wherein the first fluorescent or luminescent protein is a <u>luminescent protein</u>, and the <u>luminescent protein</u> is a <u>light-emitting luciferase protein</u>, and the second fluorescent or luminescent protein is a <u>fluorescent protein</u>, and the fluorescent protein is cyan fluorescent protein.
- 85. (currently amended) The functional heterotrimeric G protein of claim 77 wherein the first fluorescent or luminescent protein is a fluorescent protein, and the fluorescent protein is a protein is a luminescent protein, and the luminescent protein is a light-emitting luciferase protein.
- 86. (currently amended) The functional heterotrimeric G protein of claim 77 wherein the first fluorescent or luminescent protein is a fluorescent protein, and the fluorescent protein is a protein is a luminescent protein, and the luminescent protein is a light-emitting luciferase protein.
- 87. (previously presented) The functional heterotrimeric G protein of claim 77 wherein said first amino acid sequence is within a helical domain of said α subunit.
- 88. (previously presented) The functional heterotrimeric G protein of claim 77 wherein said second amino acid sequence is at the N-terminus of said β subunit.
- 89. (previously presented) The functional heterotrimeric G protein of claim 77 wherein the α and β subunits are D. discoideum G protein subunits.

- 90. (previously presented) The functional heterotrimeric G protein of claim 77 wherein said first amino acid sequence is within a helical domain of said α subunit and said second amino acid sequence is at the N-terminus of said β subunit.
- 91. (currently amended) The functional heterotrimeric G protein of claim 90 wherein the first fluorescent or luminescent protein is a <u>luminescent protein</u>, and the <u>luminescent protein</u> is a <u>light-emitting luciferase protein</u>, and the second fluorescent or luminescent protein is a fluorescent protein, and the fluorescent protein is yellow fluorescent protein.
- 92. (previously presented) The functional heterotrimeric G protein of claim 91 wherein the α and β subunits are D. discoideum G protein subunits.
- 93. (previously presented) A functional heterotrimeric G protein comprising an α subunit comprising a first fluorescent or luminescent moiety and a β subunit comprising a second fluorescent or luminescent moiety, wherein the first and second fluorescent or luminescent moieties are capable of bioluminescence resonance energy transfer (BRET).